

SaniGuard®

SURFACE SPRAY

**Quick Drying
in 45 Seconds**

**Effective
Against:**

- E-Coli
- Staphylococcus

CAUTION

KEEP OUT OF REACH OF CHILDREN

Contents Under Pressure.
Eye Irritant.
Read Back Label Carefully.

Net. Wt. 10 oz. (283.5 g)



ACTIVE INGREDIENTS:

Didecyl dimethyl ammonium chloride: 0.096%
INERT INGREDIENTS: 99.904%
TOTAL: 100%



FIRST AID

Care should be taken in the use of this product.

If In Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.

Call a poison control center or doctor for treatment advice.

If on Skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by the poison control center or doctor. Do not give anything to an unconscious person.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

CAUTION - PRECAUTIONARY STATEMENTS

Hazardous to Humans and Domestic Animals.

Causes moderate eye irritation. Harmful if swallowed or inhaled. Avoid contact with eyes, skin, clothing, or breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

PHYSICAL AND CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 degrees Fahrenheit may cause bursting.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

General Sanitizing Directions: Use SaniGuard in the home, office or workplace, schools and universities to sanitize pre-cleaned nonporous environmental surfaces. Adequately clean all surfaces before sanitizing by removing all filth and heavy soil. Hold container 6 to 8 inches away from surface to be sanitized and spray for 3 to 5 seconds. Spray lightly and evenly on surfaces. Allow surface to air-dry. Minimum contact time for effectiveness is 45 seconds. Treatment does not have to be repeated until the next use. Do not allow spray mist to come into contact directly with food or food contact surfaces.

STORAGE AND DISPOSAL

Storage: Do not store near extreme heat.

Disposal: Nonrefillable container. Do not reuse or refill this container. Securely wrap original container in several layers of newspaper and discard in trash or offer for recycling if available.

EPA Est. No. 033685-OH-001
EPA Reg. No. 69403-1

Manufactured by:

DEM Technology, LLC

755 Albany Street
Dayton, Ohio USA 45417

